

CONTRACT C WORKSHEET

PRON M1216258M1

AMC 2

AMSC G

ATC LAE3T

TDP 12596326

TDPL DATE 05/28/02

NSN 6150014553173 NOMENCLATURE WIRING HARNESS DCGE SRU

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

Level A packaging shall be in accordance with Method 41 of MIL-STD-2073 unless otherwise specified in the solicitation.

DRAWINGS 12596326,12596430,12596431,12596432:

DOD-STD-00100D REMAINS IN EFFECT SINCE THAT IS THE SPEC THAT THE DRAWINGS WERE PREPARED TO.

GFM/GFE: DRAWING NO.

MYLARS REQUIRED (Check one): Y or X N

CERTIFICATION SIGNATURE(s)/CONCURRENCE

ENG

Atch 2

## DOCUMENT SUMMARY LIST

Item: WIRING HARNESS, BRANCHED

NSN: 6150-01-455-3173

Control Number/PRON: M1216258

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3<sup>rd</sup> and lower tier) which have been tailored.

### DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. N/A	Section C titled: Configuration Management Documentation	N/A Cat 2
1b. DI-CMAN-80639C (seq A001)	Engineering Change Proposal (ECP)	30 Sep 00 Cat 1
1c. DI-CMAN-80640C (seq A002)	Request for Deviation (RFD)	30 Sep 00 Cat 1
1d. DI-CMAN-80642C (seq A003)	Notice of Revision (NOR)	30 Sep 00 Cat 1
2. ANSI/ISO/ASQC Q9003	Quality Systems-Model for Quality Assurance in Final Inspection and Test OR	18 Jul 94
ANSI/ISO/ASQC Q9001-2000	American National Standard Quality management systems- Requirements	13 Dec 00

# CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: WIRING HARNESS, BRANCHED  
TO CONTRACT/PR: M1216258

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD 8. APP 9. DIST STATEMENT	
	250 CODE REQUIRED	
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

1. A001	14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)	DISTRIBUTION	/ /
3.	ATTACHED***	/ /
4. DI-CMAN-80639C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT 8. - 9. **	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	

16. REMARKS  
\*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF THE ECP. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). \*\*DIST STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR. \*\*\*SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT [HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM](http://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM) ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692, 1694 AND 1695)

1. A002	14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)	DISTRIBUTION	/ /
3.	ATTACHED***	/ /
4. DI-CMAN-80640C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT 8. - 9. **	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	

16. REMARKS  
\*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). \*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR. \*\*\*SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT

HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695)

1. A003	14.	
	SEE ADDRESS CODE	/ /
2. NOTICE OF REVISION (NOR)	DISTRIBUTION	/ /
3.	ATTACHED**	/ /
4. DI-CMAN-80642C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT	8. - 9. ***
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	

16. REMARKS

\*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). \*\*SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695)  
\*\*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

The data delivery descriptions are available on the attached tacom-ri intranet site:

[https://aais.ria.army.mil/aais/SOLINFO/Standard\\_Attachments/Index%20of%20Attachments.html](https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html)

CONTRACT C WORKSHEET

PRON M1216253M1

AMC 2

AMSC G

ATC LAE3P

TDP 12985310

TDPL DATE 05/30/02

NSN 5995014762321

NOMENCLATURE CABLE ASSY 15VPS-W488

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

LEVER (A) PACKAGING SHALL BE IN ACCORDANCE WITH METHOD (41)  
OF MIL-STD-2073-1 UNLESS OTHERWISE STATED IN THE CONTRACT.

DRAWING 12985310, 12985311, NOTE 1:

DOD-STD-00100D REMAINS IN EFFECT SINCE THAT IS THE SPEC THAT THE DRAWINGS WERE PREPARED TO.

DRAWING 12985311, SHEET 1, NOTE 9:

DELETE "PEI ELECTRONICS INC." AS AN APPROVED SOURCE OF SUPPLY.

DELETE "23A02768" AS "JOSLYN SUNBANK" VENDOR ITEM IDENT NO. AND

REPLACE WITH "12985311". POC AT JOSLYN SUNBANK IS RENE

HEMMINGWAY PHONE 805-238-2840 EXT 102.

POC AT GLENAIR IS LYNN DUTCHER PHONE 818-247-6000 EXT 233.

GFM/GFE: DRAWING NO.

MYLARS REQUIRED (Check one): Y or X N

CERTIFICATION SIGNATURE (s) / CONCURRENCE

Attach 4

## DOCUMENT SUMMARY LIST

Item: CABLE ASSEMBLY, SPECIAL  
NSN: 5995-01-476-2321  
Control Number/PRON: M1216253

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3<sup>rd</sup> and lower tier) which have been tailored.

### DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. N/A	Section C titled: Configuration Management Documentation	N/A Cat 2
1b. DI-CMAN-80639C (seq A001)	Engineering Change Proposal (ECP)	30 Sep 00 Cat 1
1c. DI-CMAN-80640C (seq A002)	Request for Deviation (RFD)	30 Sep 00 Cat 1
1d. DI-CMAN-80642C (seq A003)	Notice of Revision (NOR)	30 Sep 00 Cat 1
2. ANSI/ISO/ASQC Q9003	Quality Systems-Model for Quality Assurance in Final Inspection and Test OR	18 Jul 94
ANSI/ISO/ASQC Q9001-2000	American National Standard Quality management systems- Requirements	13 Dec 00

# CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: CABLE ASSEMBLY, SPECIAL  
TO CONTRACT/PR: M1216253

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD	8. APP
	250	CODE
		REQUIRED
9. DIST STATEMENT		
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

1. A001	14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)	DISTRIBUTION	/ /
3.	ATTACHED***	/ /
4. DI-CMAN-80639C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT	8. -
		9. **
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	

16. REMARKS  
\*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF THE ECP. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). \*\*DIST STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR. \*\*\*SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT [HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM](http://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM) ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692, 1694 AND 1695)

1. A002	14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)	DISTRIBUTION	/ /
3.	ATTACHED***	/ /
4. DI-CMAN-80640C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT	8. -
		9. **
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	

16. REMARKS  
\*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). \*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR. \*\*\*SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT

1. A003	14.	
	SEE ADDRESS CODE	/ /
2. NOTICE OF REVISION (NOR)	DISTRIBUTION	/ /
3.	ATTACHED**	/ /
4. DI-CMAN-80642C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT	8. - 9. ***
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	

16. REMARKS

\*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). \*\*SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695)

\*\*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

The data delivery descriptions are available on the attached tacom-ri intranet site:

[https://aais.ria.army.mil/aais/SOLINFO/Standard\\_Attachments/Index%20of%20Attachments.html](https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html)

---



CONTRACT C WORKSHEET

PRON M1216256M1                      AMC 2                      AMSC G                      ATC LAE3P

TDP 12596810    TDPL DATE 05/31/02

NSN 6150013431836              NOMENCLATURE CABLE ADAPTER ASSY DECU-W38

ENGINEERING EXCEPTIONS: The following engineering changes apply to this  
procurement action(s):

DOCUMENT	DELETE	REPLACE WITH
SPI-12596810	MIL-B-117	MIL-DTL-117

DWG 12596809 NOTE 4	SUNBANK ELEC. INC	JOSLYN SUNBANK CORP.
APPROVED SOURCES OF SUPPLY	PENTASTAR ELECTRONICS	(NO REPLACEMENT)

POC AT JOSLYN SUNBANK IS SHARI PERRY, PHONE 805-238-2840 EXT.113  
POC AT ICORE INTERNATIONAL IS JESSICA SENTENO, PHONE 707-535-2700

DWG 12309071              Add Distribution Statement "C"

GFM/GFE: DRAWING NO.

MYLARS REQUIRED (Check one):              Y or    X N

CERTIFICATION SIGNATURE(s)/CONCURRENCE

End

Atch 8

## DOCUMENT SUMMARY LIST

Item: CABLE ASSEMBLY, SPEC  
NSN: 6150-01-343-1836  
Control Number/PRON: M1216295

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3<sup>rd</sup> and lower tier) which have been tailored.

### DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. N/A	Section C titled: Configuration Management Documentation	N/A Cat 2
1b. DI-CMAN-80639C (seq A001)	Engineering Change Proposal (ECP)	30 Sep 00 Cat 1
1c. DI-CMAN-80640C (seq A002)	Request for Deviation (RFD)	30 Sep 00 Cat 1
1d. DI-CMAN-80642C (seq A003)	Notice of Revision (NOR)	30 Sep 00 Cat 1
2. ANSI/ISO/ASQC Q9003	Quality Systems-Model for Quality Assurance in Final Inspection and Test OR	18 Jul 94
ANSI/ISO/ASQC Q9001-2000	American National Standard Quality management systems- Requirements	13 Dec 00

# CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: CABLE ASSEMBLY, SPEC  
TO CONTRACT/PR: M1216256

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD 8. APP 9. DIST STATEMENT	
	250 CODE REQUIRED	
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

---

1. A001	14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)	DISTRIBUTION	/ /
3.	ATTACHED***	/ /
4. DI-CMAN-80639C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT 8. - 9. **	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	
16. REMARKS		
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF THE ECP. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DIST STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT <a href="http://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM">HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM</a> ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DDFORMS 1692,1694,1695)		

---

1. A002	14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)	DISTRIBUTION	/ /
3.	ATTACHED***	/ /
4. DI-CMAN-80640C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT 8. - 9. **	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	
16. REMARKS		
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT <a href="http://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM">HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM</a> ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695)		

---

*Exh C*

1. A003	14.	SEE ADDRESS CODE	/	/
2. NOTICE OF REVISION (NOR)		DISTRIBUTION	/	/
3.		ATTACHED**	/	/
4. DI-CMAN-80642C*				
5. SECTION C				
6. AMSTA-AR-QAW	7. LT	8. -	9. ***	
10. ASREQ	11. ---	15. TOTAL	0/	0/ 0
12. ASREQ	13. ASREQ			

16. REMARKS  
 \*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CON-  
 TENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIB  
 LE SOFTWARE (I.E., MICROSOFT OFFICE). \*\*SUBMIT ELECTRONICALLY TO ECP-INPUT@  
 RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT  
[HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM](http://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM) ARE THE PREFERRED  
 METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695)  
 \*\*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD  
 CONFIGURATION MANAGER.

The data delivery descriptions are available on the attached tacom-ri intranet  
 site:  
[https://aais.ria.army.mil/aais/SOLINFO/Standard\\_Attachments/Index%20of%20Attachme  
 nts.html](https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html)

---

# CONTRACT C WORKSHEET

PRON M1216255M1                      AMC 2                      AMSC G                      ATC LAE3P

TDP 12596328    TDPL DATE 06/05/02

NSN 6150013251724              NOMENCLATURE EIA-FST CABLE ASSY (W92)

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

DOCUMENT	DELETE	REPLACE WITH
SPI 12596328	MIL-P-116	MIL-STD-2073-1
	MIL-B-117	MIL-DTL-117
	MIL-C-5501	NAS 847
DWG 12596778	QQ-P-35	SAE AMS-QQ-P-35 & ASTM-A967
DWG 12986328	MIL-F-14256	IPC/EIA J-STD-004, 005 & 006
"	QQ-S-571	IPC/EIA J-STD-004, 005 & 006
DWG 12596676,677,	QQ-A-225/8	SAE AMS-QQ-A-225/8 & ASTM B211
695,697,707,708,	"	"
709,710,711,712,778	"	"
DWG 12596678,79,80,	"18 PT HIGH GOTHIC	"HOT STAMP MARKING FOIL USING
81,82,83,84,85,86,	CHARACTERS USING...	WHITE CHARACTERS AS SPECIFIED IN
87,88,89,90 NOTE 3	SPEC MIL-M-81594"	PARAGRAPH 3 OF SAE-AS81531"

ALL DRAWINGS USE DISTRIBUTION STATEMENT C FOR ALL DSESTS DRAWINGS

SPEC 12309071              Add Distribution Statement "C"

CANCELLED SPEC: MIL-M-81594 REPLACED WITH SPEC SAE-AS81531, PARAGRAPH 3 ON THE FOLLOWING DWG: 12596678, 12596679, 12596680, 12596681, 12596682, 12596683, 12596684, 12596685, 12596686, 12596687, 12596688, 12596689, 12596690

GFM/GFE: DRAWING NO.

MYLARS REQUIRED (Check one):              Y or X N

atcl 11

## DOCUMENT SUMMARY LIST

Item: CABLE ASSEMBLY, SPECIAL

NSN: 6150-01-325-1724

Control Number/PRON: M1216255

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3<sup>rd</sup> and lower tier) which have been tailored.

### DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. N/A	Section C titled: Configuration Management Documentation	N/A Cat 2
1b. DI-CMAN-80639C (seq A001)	Engineering Change Proposal (ECP)	30 Sep 00 Cat 1
1c. DI-CMAN-80640C (seq A002)	Request for Deviation (RFD)	30 Sep 00 Cat 1
1d. DI-CMAN-80642C (seq A003)	Notice of Revision (NOR)	30 Sep 00 Cat 1
2. ANSI/ISO/ASQC Q9003	Quality Systems-Model for Quality Assurance in Final Inspection and Test OR	18 Jul 94
ANSI/ISO/ASQC Q9001-2000	American National Standard Quality management systems- Requirements	13 Dec 00

## CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: CABLE ASSEMBLY, SPECIAL  
TO CONTRACT/PR: M1216255

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD	8. APP
	250	CODE
		REQUIRED
9. DIST STATEMENT		
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

---

1. A001	14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)	DISTRIBUTION	/ /
3.	ATTACHED***	/ /
4. DI-CMAN-80639C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT	8. -
		9. **
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	

16. REMARKS  
\*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF THE ECP. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). \*\*DIST STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR. \*\*\*SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT [HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM](http://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM) ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692, 1694 AND 1695)

---

1. A002	14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)	DISTRIBUTION	/ /
3.	ATTACHED***	/ /
4. DI-CMAN-80640C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT	8. -
		9. **
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	

16. REMARKS  
\*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). \*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR. \*\*\*SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT

1. A003	14.		
	SEE ADDRESS CODE	/	/
2. NOTICE OF REVISION (NOR)	DISTRIBUTION	/	/
3.	ATTACHED**	/	/
4. DI-CMAN-80642C*			
5. SECTION C			
6. AMSTA-AR-QAW	7. LT	8. -	9. ***
10. ASREQ	11. ---	15. TOTAL	0/ 0/ 0
12. ASREQ	13. ASREQ		

16. REMARKS

\*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). \*\*SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695)

\*\*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

The data delivery descriptions are available on the attached tacom-ri intranet site:

[https://aais.ria.army.mil/aais/SOLINFO/Standard\\_Attachments/Index%20of%20Attachments.html](https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html)

---



CONTRACT C WORKSHEET

PRON M1216234M1                      AMC 2                      AMSC G                      ATC LAE3P

TDP 12465544    TDPL DATE 07/08/02

NSN 5995014740583                      NOMENCLATURE CABLE ASSEMBLY, SPEC

ENGINEERING EXCEPTIONS: The following engineering changes apply to this  
procurement action(s):

LEVEL (A) PACKAGING SHALL BE IN ACCORDANCE WITH METHOD (41)  
OF MIL-STD-2073-1 UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION.

DOCUMENT	DELETE	REPLACE WITH
12465544	MIL-S-83519	SAE-AS83519
"	MIL-S83519/2	SAE-AS83519/2

DRAWINGS 12354499 and 12309071, WILL BE UPDATED TO ADD DISTRIBUTION  
STATEMENT C "DISTRIBUTION AUTHORIZED TO U.S. GOVERNMENT AGENCIES AND  
THIER CONTRACTORS TO PROTECT TECHNICAL OR OPERATIONAL INFORMATION  
FROM AUTOMATIC DISSEMINATION UNDER THE INTERNATIONAL EXCHANGE  
PROGRAM OR BY OTHER MEANS. THIS DETERMINATION WAS MADE ON 19 NOV  
1991. OTHER REQUESTS FOR THIS DOCUMENT SHALL BE REFERRED TO  
COMMANDER, TACOM-ARDEC, ATTN: AMSTA-AR-FSF-A, PICATINNY ARSENAL,  
NJ 07806-5000".

DELETE PEI ELECTRONICS, INC AND ICORE INTERNATIONAL AS APPROVED  
SOURCES OF SUPPLY FOR PART 12465545, CONDUIT ASSEMBLY 1553-W500.  
ADD: "GLENAIR INC. 1211 AIR WAY, GLENDALE CA 91201-2497" WITH VENDOR  
PART NO. "749-344-545", NOTE 9, AS AN APPROVED SOURCE OF SUPPLY.  
POC AT GLENAIR IS LYNN DUTCHER, PHONE 818-247-6000 EXT.233.

GFM/GFE: DRAWING NO.

MYLARS REQUIRED (Check one):                      Y or   X N

Atch 14

## DOCUMENT SUMMARY LIST

Item: CABLE ASSEMBLY, SPEC  
NSN: 5995-01-474-0583  
Control Number/PRON: M1216234

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3<sup>rd</sup> and lower tier) which have been tailored.

### DOCUMENT CATEGORY:

CATEGORY O - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. N/A	Section C titled: Configuration Management Documentation	N/A Cat 2
1b. DI-CMAN-80639C (seq A001)	Engineering Change Proposal (ECP)	30 Sep 00 Cat 1
1c. DI-CMAN-80640C (seq A002)	Request for Deviation (RFD)	30 Sep 00 Cat 1
1d. DI-CMAN-80642C (seq A003)	Notice of Revision (NOR)	30 Sep 00 Cat 1
2. ANSI/ISO/ASQC Q9003	Quality Systems-Model for Quality Assurance in Final Inspection and Test OR	18 Jul 94
ANSI/ISO/ASQC Q9001-2000	American National Standard Quality management systems-	13 Dec 00

# CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: CABLE ASSEMBLY, SPEC

TO CONTRACT/PR: M1216234

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD 8. APP 9. DIST STATEMENT	
	250 CODE REQUIRED	
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

---

1. A001	14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)	DISTRIBUTION	/ /
3.	ATTACHED***	/ /
4. DI-CMAN-80639C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT 8. - 9. **	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	
16. REMARKS		

\*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF THE ECP. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). \*\*DIST STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR. \*\*\*SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT [HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM](http://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM) ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DDFORMS 1692,1694,1695)

---

1. A002	14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)	DISTRIBUTION	/ /
3.	ATTACHED***	/ /
4. DI-CMAN-80640C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT 8. - 9. **	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	
16. REMARKS		

\*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). \*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR. \*\*\*SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT [HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM](http://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM) ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695)

1. A003	14.	
2. NOTICE OF REVISION (NOR)	SEE ADDRESS CODE	/ /
3.	DISTRIBUTION	/ /
	ATTACHED**	/ /
4. DI-CMAN-80642C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT	8. - 9. ***
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	

16. REMARKS

\*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). \*\*SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695)

\*\*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

The data delivery descriptions are available on the attached tacom-ri intranet site:  
[https://aais.ria.army.mil/aais/SOLINFO/Standard\\_Attachments/Index%20of%20Attachments.html](https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html)

---

DATE: 08/01/2002